

## In the Specification

On page 1, line 29-32 to page 1a, line 2:

*C4*  
-(CH<sub>2</sub>)<sub>r</sub>Ar<sub>1</sub> where r is 0, 1 or 2 and Ar<sub>1</sub> is an aromatic group chosen among: benzene, naphthalene, thiophene, benzothiophene, pyridine, quinoline, indole, furan, benzofuran, thiazole, benzothiazole, imidazole, benzoimidazole, possibly substituted with up to 2 groups chosen among: C<sub>1-3</sub> alkyl, C<sub>1-3</sub>haloalkyl, C<sub>1-3</sub> alkyloxy, and C<sub>2-4</sub> amino-alkyloxy, halogens, OH, NH<sub>2</sub>, NR<sub>6</sub>R<sub>7</sub>, where R<sub>6</sub> and R<sub>7</sub> are the same or different and are H or C<sub>1-3</sub> alkyl.

*typo*  
*should be a comma*

On page 5, lines 15-20:

*C5*  
R<sub>9</sub> is a group chosen among: 4-tetrahydropyranyl, 4-tetraiodothiopyranyl, 1-oxotetraiodothiopyran-4-yl, 1,1 dioxo-tetrahydrothiopyran-4-yl, N-methyl-4-piperidinyl, N-methanesulfonyl-4-piperidinyl, N-aminosulfonyl-4-piperidinyl, or R<sub>8</sub> and R<sub>9</sub> together with the N atom to which they are linked represent N-methyl-piperazinyl, N-acetyl-piperazinyl, piperazinyl, N-methanesulfonyl-piperazinyl.

*typo*  
*typo*

On page 2, lines 3-9:

*N/E*  
R<sub>9</sub> is a methanesulfonyl, tosyl, tetrahydropyranyl, tetrahydrothiopyranyl possible mono or di-substituted by oxygen on the S atom, piperidyl possibly substituted on the N atom by a C<sub>1-3</sub> alkyl, C<sub>1-3</sub> acyl, aminosulfonyl, methanesulfonyl; or a group (CH<sub>2</sub>)<sub>g</sub>-R<sub>10</sub> where g is 1,2,3 and R<sub>10</sub> is chosen among morpholine, furan, CN; or R<sub>8</sub> and R<sub>9</sub> together with the N atom to which they are linked form a piperazine optionally substituted at the other N atom by C<sub>1-3</sub> alkyl, C<sub>1-3</sub> acyl or methanesulfonyl;